### MARYLAND HISTORICAL TRUST NR-ELIGIBILITY REVIEW FORM

NR Eligible: yes X

Property Name: Elias Livezey Horse Farm Complex	Inventory Number: BA-2073
Address: Thomas Wilson Center, Mt. Wilson City: Pikesville	Zip Code: 21208
County: Baltimore County USGS Topographic Map	: Reisterstown
Owner: State Highway Administration	
Tax Parcel Number: Tax Map Number: Tax Ac	count ID Number:
Project: MHT/MDOT Survey, 1981 Agenc	y: MHT/MDOT
Site visit by MHT staff: X no yes Name:	Date:
Eligibility recommended X Eligibi	ility not recommended
Criteria: A B X C D Considerations: A	BCDEFGNone
Is the property located within a historic district? X no yes Name	of District:
Is district listed? no yes Determined eligible? no	
Documentation on the property/district is presented in:	
Maryland Inventory Form BA-2073	
Description of Property and Eligibility Determination: (Use continuation sheet)	if necessary and attach map and photo)
The Elias Livezey Horse Farm complex consists of a barn, a cottage, and a sur Queen Anne style popular in the United States from ca. 1876-1900, and a corr called New England or traditional American type. The buildings appear to be from the mid-1870s, and which during the 1880s and perhaps later, comprised Sanitarium for Children.	remnants of a horse farm complex which dates
Prepared by: Richard D. Meyer (MHT) Date I	Prepared:
MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended X Eligibility not recommended Criteria A B X C D Considerations A B	
MHT Comments:	
	Oxf 1
Mark R. Edwards	April 14, 1981
Reviewer, Office of Preservation Services	A Date
Reviewer, NR Program	Date

BA-2073 Elias Livezey Horse Farm Complex near Pikesville, Md. public (restricted)

late 19th C.

The complex consists of a barn, a cottage, and a summer kitchen, which are exceptional examples of the Queen Anne style popular in the United States from ca. 1876-1900, and a corn crib, which is a characteristic example of the so-called New England or traditional American type. Particularly noteworthy are the enormous tie beam/Queen post framing systems of the barn, the row of fluted cast iron columns supporting its floor, the proliferation of Eastlake lattice work and brackets on the exterior of the cottage and art glass windows of its stairhall, and the oversized chimney of the summer kitchen. During the 1880s and perhaps later, the complex comprised the maintenance plant of the Thomas Wilson Sanitarium for Children.

UNITED STATES DEPARTMENT OF THE INTERIOR	
NATIONAL PARK SERVICE	

TIONAL REGIST	ER OF	HISTOR	IC PLACE	S
INVENTORY I	NOMI	NATION	FORM	

	BA-2073	
MAGI	# 0320734635	
FOR NPS USE O RECEIVED DATE ENTERED	ONLY	

	DATE ENTERED
SEE INSTRUCTIONS IN HOW TO COMPLETE AT TYPE ALL ENTRIES COMPLETE A	E NATIONAL REGISTER FORMS
1 NAME	TI LICABLE SECTIONS
HISTORIC Elias Livezey Horse Farm Comple	x: Barn (A); Cottage (B):
AND/OR COMMON	
Summer Kitchen (C); & Corn Crib LOCATION	(D),
STREET & NUMBER	
Thomas Wilson Center, Mt. W. Lon L	and NOT FOR DUPLY
Mt Wilcon	CONGRESSIONAL DISTRICT
STATE CODE	ikesville 2
Maryland 21112	COUNTY CODE Baltimore
CLASSIFICATION	
CATEGORY  —DISTRICT —XPUBLIC —XBUILDING(S) —STRUCTURE —SOTH —SOTH —OBJECT —IN PROCESS —BEING CONSIDERED  STATUS —XOCCUPIED —UNOCCUPIED —UNOCCUPIED —WORK IN PRO ACCESSIB —XYES: RESTRICT —NO	LEENTERTAINMENTRELIGIOUS  IEDGOVERNMENTSCIENTIFIC  RICTEDINDUSTRIALTRANSPORTATION
OWNER OF PROPERTY  Maryland State Dept. of Transport  State Highway Administration (Off	(301) 383-4145
501 St, Paul Place	
CITY. TOWN Baltimore VICINITY OF	Maryland 21202
LOCATION OF LEGAL DESCRIPTION	
COURTHOUSE, REGISTRY OF DEEDS, ETC. Baltimore County Court Ho	Liber#: 3961 Folio#: 020
CITY.TOWN Towson, Maryland	STATE
REPRESENTATION IN EXISTING SURVI	EYS
SURVEY RECORDS	ERALSTATECOUNTYLOCAL
CITY, TOWN	STATE

CONDITION

CHECK ONE

**CHECK ONE** 

\_\_EXCELLENT

\_\_GOOD

XFAIR

\_\_DETERIORATED

\_\_RUINS

\_\_UNEXPOSED

\_UNALTERED XALTERED

X\_ORIGINAL SITE

\_\_MOVED

# DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Elias Livezey Horse Farm Complex is located on a nearly level site in the Gwynns Falls valley abutting the eastern slope of Mt. Wilson (ca, 140' of local relief) ca, 500' NW of Mt, Wilson Lane (Md. Rte, 400), and ca. 400° SW of the Western Maryland Railway, near Pikesville, Baltimore County, Maryland. The complex consists of a large barn, cottage, summer kitchen, and corn crib. Each are described in detail below:

The barn (A) is a heavy timber-frame block with a slightly projecting central bay, a masonry base, and a cross-gabled roof with The base is distinguished by red brick quoins and edging around all openings, with interspersed panels of coursed stonework, The foundation is pierced by several doors and double-hung sash windows along the east facade. Supporting the floor above is a single The block is row of fluted cast iron columns along the NW-SE axis. distinguished by two major and two transverse tie beam/Queen post framing systems. Exterior wall surfaces, covered in a combination of white vertical board and batten sheathing and imbricated shingles divided by grey string courses, are liberally pierced by tall rectangular openings. Some are fully glazed with small rectangular panes. as those flanking the central bay door in the SW facade; others, as those along the NE facade, have glazed upper portions and louvered lower portions; while still others, as those along the NW facade and the scaled-down groups of the gabled ends, are entirely louvered. roof is of grey slate with occasional decorative courses of red and white diamond shapes. Gable ends are notable for their jerkin-head form, as are the four louvered dormers flanking them. The small lantern, surmounting the crossing, has louvered sides similar to those of the openings below. A steep pyramidal roof is ornamented with brackets and capped with a filigreed lightning rod. The two silos along the NW facade and the shed adjoining the SE facade appear to be later additions.

The cottage (B) is a  $2\frac{1}{2}$  story T-shaped block set on a stone foundation with a cross-gabled roof and a central brick chimney near the crossing. Ancillary parts include: a 2-story projection on the SW facade with its own gabled roof which slopes to the first story level, forming a door stoop; a  $1\frac{1}{2}$ -stony projection to the east which on its NE facade contains the principal doorway; and a corner to the NE and SE, which no longer exists. For the most part doublehung sash windows are regularly disposed, their upper portions characterized by a distinctive geometric design of individual panes. Major exceptions are: beneath the SW facade gable where there is a semi-scircular window, and on the SE facade, where most notably, there is a triple grouping of elongated casements on the first story, and square windows containing art glass, on the second. Wall surfaces, embellished by several string courses, are sheathed in white horizonta boards, presently covered with asbestos siding, on the first story and white imbricated shingles above that. The roof is of See continuation sheet,

F ID —PREHISTORIC —1400-1499 —1500-1599 —1600-1699 —1700-1799 —1800-1899 —1900-	ARCHEOLOGY-PREHISTORIC  —ARCHEOLOGY-HISTORIC  —AGRICULTURE  —ART  —COMMERCE  —COMMUNICATIONS	REAS OF SIGNIFICANCE CH  COMMUNITY PLANNING  CONSERVATION  ECONOMICS  EDUCATION  ENGINEERING  EXPLORATION/SETTLEMENT  INDUSTRY  INVENTION	HECK AND JUSTIFY BELOW  LANDSCAPE ARCHITECTURE LAW LITERATURE MILITARY MUSIC PHILOSOPHY POLITICS/GOVERNMENT	—RELIGION —SCIENCE —SCULPTURE  XSOCIAL/HUMANITARIAN —THEATER —TRANSPORTATION —OTHER (SPECIFY)
---	--	---	---	---

SPECIFIC DATES 187-

BUILDER/ARCHITECT

#### STATEMENT OF SIGNIFICANCE

The Elias Livezey Horse Farm complex consists of a barn, a cottage, and a summer kitchen, which are fine examples of the Queen Anne style popular in the United States from ca. 1876-1900, and a corn crib, which is a characteristic example of the socalled New England or traditional American type. The buildings appear to be remnants of a horse farm complex which dates from the mid-1870s, and which during the 1880s and perhaps later, comprised the maintenance plant of the Thomas Wilson Sanitarium for Children.

The buildings stand on land deeded 29 July 1876 from Christof Koller to Elias Livezey (Liber 97, Folio 269), the bulk of the estate labelled "Antietam" in the 1878 Hopkins atlas. Livezey (1819-1921) was a prominent real estate broker and co-founder of the Loudon Park Cemetery (1853). Born in Foxchase, Pennsylvania, be came to Baltimore during the mid-1840s when his Philadelphia business failed during the financial crisis of the Mexican War. Having made prudent land investments during the Civil War, he realized substantial profits during the post-war expansion. His land holdings were scattered across the suburban west side of

Since Livezey's home was in Catonsville it is unlikely that he ever lived at "Antietam". Moreover, it is unknown whether he built any of the present buildings. In any event, the estate was deeded 22 March 1881 to the Thomas Wilson Sanitarium for Children (Liber 121, Folio 407). Livezey appears to have retained some involvement as his grandson remembers childhood visits to the barn during the summer of 1907 or 1908.

The Sanitarium was opened in 1884 as a retreat for children inflicted with "summer complaint". Prior to 1892 when ward and administration buildings were completed at the summit of Mount Wilson, all buildings were located down-slope near Gwynns Falls, and the sanitarium program emphasized Day Excursions. Mothers and children would be transported from the city via the Western Maryland Railroad. A branch line, crossing the stream on an iron bridge, permitted cars to discharge passengers to within several bridge, both rebuilt during the 1920s, remain. To the north were See continuation sheet.

# 9 MAJOR BIBLIOGRAPHICAL REFERENCES

BA-2073

See continuation sheet.

ZONE SATING  34 18 4 20 4 3 60 61 30 bldg D 18 3 4 8 3 4 10 4 3 16 10 16 18 10 18 18 10 18 18 18 10 18 18 18 18 18 18 18 18 18 18 18 18 18					
AGREAGE OF NOMINATED PROPERTY 1.79 A.  QUADRANGLE NAME REISETSTOWN, Md.  QUADRANGLE SCALE 1:24 000  QUADRANGLE NAME REISETSTOWN, Md.  QUADRANGLE SCALE 1:24 000  QUADRANGLE 1:24 000  QUADRANGLE SCALE 1:24 000  QUADRANGLE 1:24 000  QUADRAN	GEOGRAPHICAL D	ATA			
QUADRANCE NAME Refsterstown, Md.  UTN REFERENCES  IS A 1.8   34.8   3.70   4.316.06.6.0 bldg B 2.0N   2.0N	ACREAGE OF NOMINATED PROPERT	TY 1, 29 A,	-		1:24 000
ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES  STATE  CODE  COUNTY  CODE  CODE  STATE  CODE  COUNTY  CODE  CODE  COUNTY  CODE  COUNTY  CODE  COUNTY  CODE  COUNTY  CODE  CODE  COUNTY  CO	QUADRANGLE NAME Reist	erstown, Md.	<del>andron</del> on a Young and		
VERBAL BOUNDARY DESCRIPTION See continuation sheet.  LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE  STATE RICHARD BY NAME TITLE Richard D. Meyer, Historic Sites Surveyor ORGANIZATION Maryland Historical Trust 1980 STREET ANUMBER 21 State Circle (301) 269-2438 21 State Circle (301) 269-2438 21 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION Annapolis  STATE LOCAL NATIONAL STATE LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE DATE  TITLE  DATE  KEEPER OF THE NATIONAL REGISTER  DATE  ATLEST.	dg A 1 18 3 48 3 70  ZONE EASTING	43 6,06,6,0		STING NORT	HING
LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE   1 FORM PREPARED BY  NAME / TITLE Richard D. Meyer, Historic Sites Surveyor ORGANIZATION Maryland Historical Trust 1980 STATE (301) 269-2438 21 State Circle (301) 269-2438 21 State Circle STATE CITY OR TOWN Annapolis Maryland 21401  STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  FOR NPS USE ONLY I HERBEY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  ATTEST:  **CERT PROPERTY OF THE NATIONAL REGISTER**  DATE  **THE MATTONAL REGISTER**  **DATE**  **THE MATTONAL REGISTER**  DATE  **THE MATTONAL REGISTER**  **THE MATTONAL REGISTER**  DATE  **THE MATTONAL REGISTER**  **THE MATTONAL REGI			FLil L		
LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE  STATE CODE COUNTY CODE   1 FORM PREPARED BY  NAME / TITLE RI chard D. Meyer, Historic Sites Surveyor ORGANIZATION 1980 Maryland Historical Trust TELEPHONE STREET & NUMBER (301) 269-2438 21 State Circle (301) 269-2438 21 State Circle STATE CITY OR TOWN Annapolis Maryland 21401  STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  FOR NPS USE ONLY I HERBEY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  ATTEST:  ATTEST:  DATE	$G \cup G \cup G$		нШШ		.:
LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES  STATE  CODE  COUNTY  CODE  THE CODE  COUNTY  CODE  CODE  COUNTY  CODE  CODE  COUNTY  CODE  CODE  CODE  COUNTY  CODE  CODE  CODE  COUNTY  CODE  CODE  CODE  COUNTY  CODE					1 26
STATE  CODE	See continuation	sheet.			**************************************
STATE  CODE	,	COUNTIES FOR PROPER	TIES OVERLAPPING	STATE OR COUNTY BO	UNDARIES
STATE CODE COUNTY CODE  THE STATE CODE COUNTY CODE  THE STATE CODE COUNTY CODE  THE STATE CODE  STATE RICHARD BY  NAME/TITLE RICHARD D. Meyer, Historic Sites Surveyor  ORGANIZATION Maryland Historical Trust 1980 STREET & NUMBER 21 State Circle (301) 269-2438 STATE CITYOR TOWN Annapolis Maryland 21401  STATE HISTORIC PRESERVATION OFFICER CERTIFICATION  THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE  DATE  TITLE  DATE  THE REPROPERTY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  DATE  THEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE	LIST ALL STATES AND	COONTIES FOR FROI FIL	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
I FORM PREPARED BY  NAME / TITLE Richard D. Meyer, Historic Sites Surveyor ORGANIZATION Maryland Historical Trust STREET & NUMBER 21 State Circle CITY OR TOWN Annapolis  STATE CITY OR TOWN Annapolis  12 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE  DATE  KEEPER OF THE NATIONAL REGISTER  DATE  TITES!  DATE	STATE	CODE	COUNTY		
IFORM PREPARED BY  NAME/TITLE Richard D. Meyer, Historic Sites Surveyor  ORGANIZATION Maryland Historical Trust  STREET & NUMBER 21 State Circle CITYORTOWN Annapolis  Maryland 21401  STATE HISTORIC PRESERVATION OFFICER CERTIFICATION  THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:  NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE  DATE  DATE  EEPER OF THE NATIONAL REGISTER  DATE  ATTERIST.		CODE	COUNTY		CODE
NAME/TITLE Richard D. Meyer, Historic Sites Surveyor ORGANIZATION Maryland Historical Trust STREET & NUMBER 21 State Circle STATE CITY OR TOWN Annapolis Maryland 21401  THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE  DATE  KEEPER OF THE NATIONAL REGISTER  DATE  ATTEST:  DATE  DATE	STATE				
Maryland Historical Trust  STREET & NUMBER 21 State Circle  CITY OR TOWN Annapolis  THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:  NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  KEEPER OF THE NATIONAL REGISTER  ATTEST:  KEEPER OF THE NATIONAL REGISTER  DATE			s Surveyor		
Maryland Historical Trust  STREET & NUMBER 21 State Circle  CITY OR TOWN Annapolis  Maryland 21401  21401  21 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION  THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:  NATIONAL  STATE  LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  TITLE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  ATTEST:  KEEPER OF THE NATIONAL REGISTER  DATE	ORGANIZATION				
21 State Circle  CITY OR TOWN Annapolis  Maryland 21401  2	Maryland Histori	cal Trust		TELEPHONE	
Annapolis  12 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION  THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:  NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  TITLE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  DATE	STREET & NUMBER	1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:		
THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:  NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  TITLE  DATE  KEEPER OF THE NATIONAL REGISTER  DATE				<del>-</del>	21401
THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:  NATIONAL STATE LOCAL  As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  DATE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  DATE	Ammonolic			11011 / 11011	
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  DATE	OF ATE HISTORIC	PRESERVATION	N OFFICER	CERTIFICATI	ON
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  DATE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  DATE	THE EVA	LUATED SIGNIFICANCE (	)F THIS PROPERTY V	VITHIN THE STATE IS:	
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  DATE	ΝΑΤΙΟΝΑΙ	ST	ATE	LOCAL	·
hereby nominate this property for inclusion in the National Property is included in the National Park Service.  STATE HISTORIC PRESERVATION OFFICER SIGNATURE  TITLE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  ATTEST:		D	e National Historic Pre	eservation Act of 1966	Public Law 89-665), I
TITLE  FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  ATTEST:	tarabu nominate this property to	or inclusion in the Mations	i ilogioto.	that it has been evalu	ated according to the
FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER  DATE  KEEPER OF THE NATIONAL REGISTER  ATTEST:	STATE HISTORIC PRESERVATION	OFFICER SIGNATURE		DATE	
I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE  DATE  KEEPER OF THE NATIONAL REGISTER  DATE  ATTEST:	TITI F			27.12	
KEEPER OF THE NATIONAL REGISTER DATE ATTEST:	,,,,,,,				
ATTEST:		IS PROPERTY IS INCLUD	ED IN THE NATIONA	L REGISTER	
		IIS PROPERTY IS INCLUD	ED IN THE NATIONA		
	FOR NPS USE ONLY I HEREBY CEHTIFY THAT TH  KEEPER OF THE NATION		ED IN THE NATIONA	DATE	

7(B)

modern grey and red composite shingles, although originally was probably of slate. NW and SE gable ends, as well as the door stoop, are distinguished by Eastlake lattice work found on each verge board, brackets or columns.

The main floor of the interior consists of three similarly sized rooms, each nearly square in plan. Facing the site
of the porch is the parlor, flanked on the SE by a small rectangular stairhall. Behind it is the dining room, and flanking it on the NW, the kitchen. Adjoining the parlor/dining
room wall is a double fireplace with the dining room hearth
fitted into the corner. The NW end of the parlor contains a
window seat. For the most part, detailing is undistinguished.
However, a major exceptions occurs in the stairhall where
small art glass windows and a partially cylindrical closet,
overhanging from the second floor just to the right of the
stairs, are notable.

The summer kitchen (C), connected to the cottage by a gabled walkway, (a modern addition), is a  $1\frac{1}{2}$ -story rectangular block set on a stone foundation with a jerkin-head gable roof and an oversized brick chimney adjoining the NW facade. The motif of bracketed dormer with exposed rafters framing a 6/6 double-hung sash window above larger 8/8 paired ones characterizes the right half of the SW facade and left half of the NE facade. A modified version of this motif marks the right half of the NE facade, here without the brackets and with a pair of small separate 9/9 double-hung sash windows. into the building is through one set of double doors, centrally located on the SW facade, and through a single door sheltered by a gabled hood on the SE facade. Wall surfaces are sheathed in white German siding; gable ends in white imbricated shingles. The roof is of modern grey and red composite shingles, although originally was probably of slate.

7(D)

The corn crib (D) is a 1-story, nearly rectangular block set on stone piers ca. I' above ground and capped with a gabled roof. NE and SW walls each have a slight outward slant. On the SE facade are a central door and within the gable end, a triangular vent. NE and SE facades are sheathed in horizontal boards, spaced to allow for interior ventilation, while the gable ends are covered with German siding. The roof is now covered with red tar paper.

In addition, there are two sheds, one ca. 50' east of the barn, the other ca. 60' NE, which appear to date from the twentieth century. Both are architecturally and historically insignificant.

#### Boundary Justification

The former bounderies of the Elias Livezey farm are nearly the same as those for the Thomas Wilson State Hospital. Since most of this property has assumed a much different character and since the major significance of the buildings lay in their architecture rather than their relationship to the property, boundaries for the nomination are set arbitrarily at ca. 50-100' each side of the significant buildings.

8.

buildings "connected with the care of the property" (Tompkins, 507), presumably including those still standing. To the south were a main building, an Excursion House, six cottages, ten acres of landscaped lawn, and a large spring. Except for the spring nothing remains of this complex.

9.

Baltimore American, 5 November 1921; 6 November 1921.

Baltimore County Land Records.

Baltimore County Court House, Records Management Office, Tax Assessment records, second district, 1876 and 1896.

Baltimore County, Transfer Book, 1848-1892 Baltimore County Court House, Records Management Office.

Baltimore: Its History and Its People, II, New York, Historical Publishing, 1912, 416-418.

Baltimore Sun, 2 June 1917; 5 November 1921.

Breckenridge, Minnie Chance, daughter of Thomas Chance, employee of the Thomas Wilson Sanitarium for Children (1881-1921), interview with Margaret V. Williams, 1967 [?], transcription [Margaret V. Williams collection].

Bromley, Atlas of Baltimore County, 1898.

Evening Sun of Baltimore, 27 October 1915; 30 August 1963.

Half-Century's Progress of the City of Baltimore, New York: International Publishing, 1886, 195.

#### 9. continued

- Hopkins, Atlas of Howard County, 1878.
- Livesey, Leo. T., grandson of Elias Livezey, interview with author, Baltimore, 3 March 1980.
- Report of the Trustees of the Thomas Wilson Sanitarium for Children of Baltimore City, Baltimore, King Brothers, 1911.
- Scharff, J. Thomas, <u>Hist. of Baltimore City and County</u>, 2 Volumes, Baltimore, Regional Publishing Company, 1971, 826 (1st ed., 1881).
- State Highway Administration, plat # 28807 [Office of Real Estate].
- of Real Estate].
- Tompkins, J.A. "Thomas Wilson Sanitarium for Children", Lend a Hand, II:9 (Sept. 1887), 505-510.
- Williams, Margaret V. "The Forgotten Philanthropist", Maryland State Medical Journal, June 1967, 55-59.

## 10. Verbal Boundary Description

Beginning at the point on the boundary between the former Mt. Wilson State Hospital property and the former Louis E. Shector property which intersects a line parallel to and 12.5' SW of the SW facade of the corn crib, proceed NE 150' along said boundary, thence turning 90° SE, proceed 375', thence turning 90° SW, proceed 150', thence turning 90° SW, proceed 375' to the point of origin, (see SHA plat).

#### Chain of Title

Mt. Wilson (now Thomas Wilson) State Hospital to State Roads Commission
16 February 1962 3961/020

Thomas Wilson Sanitarium for Children to Maryland Tuberculosis Sanitarium
12 August 1924

Elias Livezey and wife to Thomas Wilson Sanitarium 22 March 1881 WMI 121/407

Christof Koller and wife to Elias Livezey 29 July 1876 97/269

Samuel H. Lyon and others to Christof Koller 12 February 1868 58/15 BA-2073 LIVEZEY HORSE FARM - DRAWINGS ARE FOUND IN HORIZONTAL MAP FILE, DRAWER 5, MHT LIBRARY.

Drawings include: site plan, 1st floor plan of cottage.

Drawings done on mylar film.


ELIAS LIVEZEY HORSE FARM COMPLEX - c1870 - Mount Wilson Lane, Pikesville. This complex (west of Gwynns Falls) belonged to Elias Livezey before the farm was converted to the Thomas Wilson Sanitarium for Children in 1881. In 1924, the property came into public ownership under Maryland Tuberculosis Sanitorium. These buildings are Victorian in style, built of frame and clapboard with decorative use of fish-scale shingles. The stable has Jerkinhead roofing and a tall louvered cupola. The farm group was once believed to lie in the path of the proposed Northwest Expressway but that route when completed c1983 was somewhat to the east. The buildings, and also the brick power plant, fall within the 100-year flood plain (See Plate 52 of Gwynns Falls study). These structures were slated for demolition under the development plan filed in 1984 after the hospital had been closed by the State. (Surveyed in 1980 by John Hnedak of the Maryland Historical Trust).

2073A BARN 2073B COTTAGE

2073C SUMMER KITCHEN


2073D CORN CRIB

- POWHATAN FACTORY OUTBUILDING 18 \_ 2130 Woodlawn Drive,
  Woodlawn. This stone, one-story structure is located north
  of Woodlawn Drive-Gwynn Oak Avenue, on the east bank of Gwynns
  Falls inside Woodlawn Cemetery. The Powhatan Factory of 181
  was destroyed by fire in 189 and the remaining Pocohontas Factory
  and all the outbuildings except this one were removed to lay out
  the cemetery. The original company town cemetery is now part
  of the commercial cemetery. The building is of granite, set in
  a grove of conifers, and used for equipment storage. The
  breached factory dam is several hundred yards upstream of the
  bridge on the cemetery driveway.
- POWHATAN FACTORY CHAPEL 1873 2119 Gwynn Oak Avenue, Woodlawn. The present Methodist church the built on the east side of Gwynns Falls by the Powhatan Factory Company in 1873, following the loss of an earlier church to a tornado. The structure was acquired by the present congregation after the demise of the manufacturin g complex. It was moved intact over the falls on a bridge of empty whiskey barrels in 1904. The larger frame church closer to the street dates from 1932.
- 2105 WOODLWAN SCHOOL HOUSE 1905 2120 Gwynn Oak Avenue, Woodlawn. This surplus school, now used as a community center, was built after the suburb of Woodlawn replaced the company town of Powhatan. It is a hip-roofed, one-story, granite structure with a shallow entrance pavilion. It adjoins a brick elementary school that superseded it.



LIVEZEY HORSE FARM
BA-2073
PLAN OF BARN UPPER FLOOR

HNEDAK/MEYER JUNE 1980, M/DOT SURVEY




GROUNDPLAN BA-2073

LIVEZEY HORSE FARM


M/DOT SURVEY JUNE 1980

HNEDOK/MEYER











































BA-2073

